

BLANKET TECHNOLOGY  
MADE IN GERMANY


**CONTI-AIR**<sup>®</sup>  
BLANKET TECHNOLOGY

**CONTI-AIR<sup>®</sup> FSR**  
All-Purpose Blanket

# CONTI-AIR® FSR



Coldset



Heatset



Sheetfed



Packaging



Metaldeco

## Das robuste Allzweck-Drucktuch für den Offsetdruck.

- › Hohe Festigkeit gegen Kanteneinschnitt
- › Geringer Abrieb
- › Scharfer Raster- und ruhiger Vollflächendruck

## The sturdy all-purpose blanket for offset printing.

- › High resistance against edge cutting
- › Low abrasion
- › Good dot sharpness and smooth printing of solids

### Richtwerte / Guiding Value



		Norm / Standard
<b>Farbe:</b> <b>Color:</b>	blau blue	
<b>Oberfläche:</b> <b>Surface:</b>	feinstgeschliffen microground	
<b>Härte Deckgummi:</b> <b>Hardness of face compound:</b>	63 Shore A	DIN ISO 48-4 <sup>*/**</sup>
<b>Kompressibilität bei 1.350 kPa:</b> <b>Compressibility at 1.350 kPa:</b>	0,187 mm / 0.200 mm	R_05_10AA3119*
<b>Nendicke:</b> <b>Thickness:</b>	1,71 mm / 1,96 mm +/- 0,02 mm	DIN EN ISO 2286-3*
<b>True Rolling (Papierförderverhalten):</b> <b>True Rolling (Paper feed characteristics)</b>	neutral/leicht positiv neutral/slightly positive	

\* In Anlehnung an die gegebene Norm durchgeführt. Bitte beachten Sie, dass die Anzahl der getesteten Stichproben variieren kann.  
Performed in accordance with the given standard. Please note that the number of samples tested may differ.


\*\* Die ausgewiesene Härte für das Deckplattengummi kann nur an Prüfkörpern die der Norm entsprechen gemessen werden.  
The specified hardness of the cover compound can only be measured using test samples according to the standard. It is not possible to measure the hardness directly on the product itself.

Unsere Drucktücher verfügen über eine spezielle CONTI-AIR® kompressible Schicht geschlossener Mikrozellen mit Überdruck.

Our printing blankets have a special CONTI-AIR® compressible layer of over-pressured microcells.



waterless



conventional



**ContiTech Elastomer-Beschichtungen GmbH**  
Breslauer Str. 14 | 37154 Northeim | Germany  
service@contiair.com  
www.contiair.com

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2024 ContiTech Deutschland GmbH, Hannover. All rights reserved. For complete information go to: [www.continental-industry.com/disc1\\_en](http://www.continental-industry.com/disc1_en)  
Der Inhalt dieser Druckschrift ist unverbindlich und dient ausschließlich Informationszwecken. Für weitere Information besuchen Sie bitte: [www.continental-industry.com/disc1\\_de](http://www.continental-industry.com/disc1_de)