

BLANKET TECHNOLOGY
MADE IN GERMANY

CONTI-AIR[®]
BLANKET TECHNOLOGY

CONTI-AIR[®] STEEL SV
Coldset Printing Blanket

CONTI-AIR® STEEL SV

The Metalback Transfer Blanket for UV Curing Inks“

- › Designed for sheetfed applications
- › Medium hard blanket construction
- › Developed for highest durability
- › Using the special CONTIAIR® microcell technology

Guiding Value



		Standard
Application:	Sheetfed	
Nominal Thickness:	1.63	DIN EN ISO 2286-3*
True Rolling (Paper feed characteristics):	neutral	
Color:	violett	
Surface finish:	ground	
Hardness of Surface Compound (shore A):	70	DIN ISO 48-4:2021-02**/**
Metal base:	Steel	
Backside:		

* Performed in accordance with the given standard. Please note that the procedure of testing could be deviate and that the number of samples tested may differ.

** The specified hardness of the cover compound can only be measured using test samples according to the standard. It is not possible to measure the hardness directly on the product itself.

Unsere Drucktücher verfügen über eine spezielle CONTI-AIR® kompressible Schicht geschlossener Mikrozellen mit Überdruck.

Our printing blankets have a special CONTI-AIR® compressible layer of over pressured microcells.



ContiTech Elastomer-Beschichtungen GmbH
Breslauer Str. 14 | 37154 Northeim | Germany
service@contiair.com
www.contiair.com

The content of this publication is not legally binding and is provided as information only. The trademarks displayed in this publication are the property of Continental AG and/or its affiliates. Copyright © 2024 ContiTech Deutschland GmbH, Hannover. All rights reserved. For complete information go to: www.continental-industry.com/disc1_en
Der Inhalt dieser Druckschrift ist unverbindlich und dient ausschließlich Informationszwecken. Für weitere Information besuchen Sie bitte: www.continental-industry.com/disc1_de